



SELECTION MANUAL OF ACOUSTIC FOAM

Specialize in Sound Absorption

-Acoufortex



Acoufortex Ltd

Email: acoufortex@outlook.com

Phone: +86 157 3626 6786

Website: www.acoufortex.com



Acoufortex Ltd boasts over 20 years of expertise in the sponge, plastic, and rubber industry. With a comprehensive production line, we cater to diverse needs across various settings, including homes, offices, music rooms, and theaters, offering end-to-end services. Specializing in high-molecular materials such as sponge, plastic, and rubber, we leverage platform-based resource integration to reduce costs and enhance efficiency. Our goal is to establish a world-class, full-industry-chain supply platform for eco-friendly high-molecular materials, delivering significant value to our clients.

Acoufortex acoustic foam products are characterized by their sound absorption, fire resistance, environmental friendliness, and ease of installation, significantly enhancing performance and providing a noise-free environment.



**California Technical Bulletin 117-2013
R2019 Section 3**

Sample Description : THE SPONGE

The above data and information was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion.

SGS Ref No. : GZP24-025438
Sample Receiving Date : Aug.01, 2024
Test Performing Date : Aug.01, 2024 to Aug.07, 2024

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	California Technical Bulletin 117-2013 R2019 Section 3	PASS	/

For further details, please refer to the following page(s)

Signed for and on behalf of
Shunde Branch
SGS-CSTC Co., Ltd.

Ada



Ada Liu
Approved signatory



EU RoHS

Sample Name: The sponge
The above sample(s) and information were provided by the client.

SGS Job No.: GZP24-025438
Sample Receiving Date: Jul 30, 2024
Testing Period: Jul 30, 2024 ~ Aug 02, 2024
Test Requested: Select test(s) as requested by the client.
Test Method(s): Please refer to next page(s).
Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Jessie Li

Jessie-JX Li
Approved Signatory



Sound Proof



Refractory




ECO-Friendly



Easy To Install

PRODUCT INFORMATION



Pyramid

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm

Egg Grate Shape

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm



PRODUCT INFORMATION



Mushroom Head Shape

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm

Broadband Shape

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm



PRODUCT INFORMATION



Square Shape

Density: 18kg/m^3 , 20kg/m^3 , 25kg/m^3 , 30kg/m^3

Size: $30*30\text{cm}$, $50*50\text{cm}$, $100*100\text{cm}$, $100*150\text{cm}$, $100*1000\text{cm}$



Thickness: 2.5cm, 5cm, 8cm, 10cm

Flat Shape

Density: 18kg/m^3 , 20kg/m^3 , 25kg/m^3 , 30kg/m^3

Size: $30*30\text{cm}$, $50*50\text{cm}$, $100*100\text{cm}$, $100*150\text{cm}$, $100*1000\text{cm}$

Thickness: 2.5cm, 5cm, 8cm, 10cm



PRODUCT INFORMATION



Strip Shape

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm

Wedge Shape

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm



PRODUCT INFORMATION



Bass Trap

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³


Size: 30*30*50cm, 50*50*50cm

Linear Shape


Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm



PRODUCT INFORMATION



Hexagon-Carved

Density: 18kg/m³, 20kg/m³, 25kg/m³,
30kg/m³

Size: 36*1.5*2.5cm

Slop Wedge

Density: 18kg/m³, 20kg/m³, 25kg/m³,
30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm,
100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm



PRODUCT INFORMATION



Foam Monitor Isolation Pads

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*20*4.5cm, 40*30*2.5cm

Arrow Shape

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm



PRODUCT INFORMATION



Wave Shape

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm


I-Shaped

Density: 18kg/m³, 20kg/m³, 25kg/m³, 30kg/m³

Size: 30*30cm, 50*50cm, 100*100cm, 100*150cm, 100*1000cm

Thickness: 2.5cm, 5cm, 8cm, 10cm





THANKS FOR YOUR WATCHING

